**建筑的政策和高级政党的对方法的**是否是任任。

### KACHARAVA, P.N.

Hffect of pruning on the growth and productivity of young pome fruit trees. Izv.AH Arm.SSR.Biol.i sel'khos.mauki 8 no.1:25-34
Ja '55. (MLBA 9:8)

1. Opytneya stantsiya plodovodstva Al Grusinskoy 252, s. Skra.
(Pruning) (Cherry)

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

THE STATE OF THE SAME BEAUTIFUL STREET, THE STREET STATE OF THE SAME STREET, THE SAME STREE

KACHARAVA, P. M.

KACHARAVA, P. M.: "The soil contents of young orchard s of eastern Georgia." Published by the Acad Sci Georgian SSR. Moscow Order of Lenin Agricultural Academy imeni K. A. Timiryazev. Tbilisi, 1956. (Dissertation for the degree of Doctor in Agricultural Sciences)

SO: Knizhnaya Letopist, No 36, 1956, Moscow.

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

USSR/Cultivated Plants. Fruit Trees. Small Fruit Plants.

Abs Jour: Ref Zhur-Biol., No 17, 1958, 77799.

Author : Kookarava, P.M.

: Experiment Station of Fruit Growing, AS GSSR. : On the Methods of Maintenance of Soil in Young Title

Fruit Orchards.

Orig Pub: Tr. Opyt. st. plodovodstva, AN GruzSSR, 1956, 5, 3-50.

Abstract: Experiments were conducted in 1947-1955 at the Experimental Station of Fruit Growing AS Georgian SSR in an apple orchard, planted with biennials in 1947, on a plot with light-clayey, brown soil. The influence on the growth and harvest of the young fruit trees of cultivated crops, legumes, black fallow, mixtures of perennial grasses and

: 1/4 Card

123

USSR/Cultivated Plants. Fruit Trees. Small Fruit Plants.

Abs Jour: Ref Zhur-Biol., No 17, 1958, 77799.

planting of annual grasses was studied. Eleven variants were established. In connection with the lack of precipitation in the conditions of eastern Georgia (Gori Rayon), experiments with peremnial grasses were established with mulches and without nulches. Each variant had 3 repetitions in 24 trees. Considered were the growth of branches and thickness of trunk, leaf surface, general dimension of the tree, harvest and its quality, chemical composition and durability of fruit, development of root system, content in soil of moisture and nitrates, structure and aggregate composition of soil. Average annual growth of branches on plots with perennial grasses was twice less than in variants with legumes, black

Card : 2/4

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

М

USSR/Cultivated Plants. Fruit Trees. Small Fruit Plants.

Abs Jour: Ref Zhur-Diol., No 17, 1958, 77799.

fallow and cultivated crops. Vetch occupied an intermediate position. The depressing influence of perennial grasses on the apple tree in the first 3 years after planting was so strong that the use of black fallow and cultivated crops in the first 3 years after cultivation of grasses aid not improve the condition of trees, and it began to improve only in the fourth year. With overlapping sowing of perennial grasses, their negative influence was softened. Growth of the trunk was analogous to growth of the sprouts. In the variant filled with turf, earlier leaf fall was noted even with irrigation. Mulching of the area around the trees with straw increased growth. Average weight of a single fruit of the

Card : 3/4

124

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

M

USSR/Cultivated Plants - Fruits. Berries.

: Ref Zhur - Biol., No 4, 1958, 15754

Author

: P.M. Kacharova

Inst Title

The Effect of Soil Maintenance Methods on Young Fruit

Tree Root Growth.

(Vliyaniye sposobov soderzhaniya pochvy na rost korney

molodogo plodovogo dereva).

Orig Pub

: Tr. Opytn. st. plodovodstva. AN GruzSSR, 1956, 5, 51-73.

Abstract

: In 1947 an experiment was set up to study the root system development in young Zimniy Banan variety apples

when sown in the speces between the rows was: 1) a perennial grass mixture for three years time with

complex and strip farming;

2) vetch for hay; 3) corn. cabbage, beets, neans; 4) sideration crops. Roots developed most when the

Card 1/3

KACHARAVA, P. M., DOG AGRE SCI, "SYSTEM OF SOIL MAINTENANGE AN THE INTERPOLATED ORCHARDS OF EASTERN GEORGIA."

TBILISI, 1960. (MIN OF AGR GEORGIAN SSR. GEORGIA ORDER

OF LABOR RED BANNER AGR INST). (KL, 2-61, 214).

-208-

BERISHVILI, G.A. Prinimali uchastiye: GABIDZASHVILI, V.D., inzh.; KACHARAYA, G.G., inzh.; KASHAKHASHVILI, G.N., inzh.; PIRTSKAHALAVA, D.T., inzh.; TEZADZE, A.I., inzh.

Results of experiments in studying the effective use of shortdelay blasting. Trudy Inst.gor.dela AN Gruz.SSR 2:215-227 160. (MIRA 14:10)

1. Institut gornogo dela AN Gruzinskoy SSR (for Gabidzashvili, Kacharava, Kashakashvili, Pirtskhalava, Tevzadze).
(Blasting)

KACHARLI, K.Sh, Cand Phys-Eath Sci-(diss) "Dielectric properties of petroleums and petroleum products." Baku, 1958. 9 pp (Ein of Higher ducation USSR. Azerbaydzhan State U im S.M. Kirov), 100 copies.

Bibliography at and of text. (KL, 25-58, 106)

-13-

### KACHARMIN, S.D.

Introduction of new equipment in industries of the Tula Economic Council. Biul.tekhn.-ekon.inform. no.12:66 60. (MIRA 13:12) (Tula Province-Industries)

### KACHARMIN, S.D.

In the Technical Economic Committee of the Tula Economic Council.

Biul.tekh.-ekon.inform. no.12:88-89 161. (MIRA 14:12)

(Tula Province—Economic councils)

OBRESHKOV, Petur, inzh., kand. tekhn. nauki; KACHAROV, Emil, inzh.

Computing the soldering strength of hard-alloy teeth in milling cutters and circular saws. Durvomebel prom 6 no. 2: 4-6 Mr-Ap '63.

 Chlen na Redaktsionnata kolegiia, "Durvoobrabotvashta i mebelna promishlenost" (for Obreshkov).

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

SIDORENKO, A.V., glav. red.; GAMKRELIDZE, P.D., red.; DZOTSENIDZE, G.S., red.; ZARIDZE, G.M., red.; KACHAROVA, I.V., red.; RUBINSHTEYN, M.M., red.; TSAGARELI, A.L., red.; CHELIDZE, G.F., red.

[Geology of the U.S.S.R.] Geologiia SSSR. Glav. red. A.V. Sidorenko. Moskva, Nedra. Vol.10. Pt.1. 1964. 654 p. (MIRA 17:12)

IVANITSKAYA, Ye.P., doktor med.nauk (Moskva, B.Ovchinnikovskiy pre., d.24,kv.13); KACHAROVSKAYA, I.B., mladshiy nauchnyy sotrudnik; ASTKAKHANTSEV, F.A., mladshiy nauchnyy sotrudnik

Radiotherapy in cancer of the rectum. Vest. rent. i rad. 36 no.4: 59-66 Jl-Ag '61. (MIRA 15:2)

1. Iz rentgenoterapevticheskogo otdela (zav. - starshiy nauchnyy sotrudnik I.A. Pereslegin) Gosudarstvennogo nauchno-issledovatel'skogo rentgeno-radiologicheskogo instituta Ministerstva zdravookhraneniya RSFSR (dir. - prof. I.G.Lagunova).

(RECTUM\_\_CANCER) (RADIOTHERAPY)

ACCESSION NR: APLICOCALL

S/0046/63/009/004/0427/0433

AUTHORS: Kacharskaya, L. V.; Komarov, L. I.; Fisher, I. Z.

TITLE: Hypersound and slow neutron scattering in liquids

SOURCE: Akusticheskiy zhurnal, v. 9, no. 4, 1963, 427-433

TOPIC TAGS: hypersound neutron wave diffraction, liquid hypersound neutron wave diffraction, high frequency hypersound, hypersound neutron scattering, hypersound slow neutron scattering, hypersound neutron scattering spectrum, hypersonic radiation, neutron scattering, neutron, scattering, hypersound

ABSTRACT: The conditions leading to neutron wave diffraction on hypersounds in liquids are analyzed, and conditions for building an experimental apparatus specified. Slow neutron scattering is found to be the most suitable because of the requirements of very high frequencies for the determination of hypersounds in fluids. The expression for the neutron energy E and momentum p during and after the scattering is represented by

 $B - B_0 = \pm u(\Omega) |p - p_0|,$ 

Card 1/8

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

W	<u> </u>
ACCESSION NR: APLOODINI	
where u(1) can be calculated by experimentaring angles 0 and small values of the form	entally determining p or E. For small [ \( \Delta E/2\text{mu}^2\) this expression is written in
	un d
$\Delta \mathcal{B} \approx \pm \frac{2\mathcal{B}_{0.0}}{\sqrt{\frac{2\mathcal{B}}{m_0}}}$	<b>3</b> - 1
The discussed neutron diffraction charact	teristics are shown to have no analogies
in optical theory, with auxiliary peaks in neutron scattering. This effect may yield	in the neutron spectrum at zero angle ld direct information experimentally on
figwe.	noies. Orig. art. has: 30 formulas and 1
ASSOCIATION: Belorusskiy gosudarstvennyt	my universitet, Minsk (Byelorussian State
Card 2/3	
Filler interior de la superior rece la constitución de la constitución	

KACHATUROV. A.

Kilns

New plan for a circular vaultless kiln. Sel'. stroi. No. 3(44), 1952.

Morthly List of Russian Accessions, Library of Congress, August 1952, UNCLASSIFIED.

AND PROPERTY OF THE PARTY OF TH

	- XAGHATUROV, T 3								755	 		
		Zhele USB) 261 p Biblic	znodoro Moskva table ographic	zhnyy tr a, Trans es. cal foot	ansport zheldori notes.	SSSR Lzdat,	(Nailway 1952.	transpo	rtation	in the	.Kl	
					•							
							•					
1												

0-2

KACHAUNOV, I. ST.

BULGARIA/Plant Diseases - Diseases of Cultivated Plants.

Abs Jour : Ref Zhur - Biol., No 3, 1958, 11264

Author : Angelov, Ye.At., Kachaunov, I.St.

Title : Our Experience in Storing Young Grape Plants After Inocu-

lation Against Spotty Necroses.

Orig Pub : Lozarstvo i vinarstvo, 1956, 5, No 5, 306-308

Abstract : No abstract.

Card 1/1

Inst

CHOLCHEVA, P.I.; KACHAUNOVA, Maya[translated]; KONDAKOVA, Irina [translated]; GERASIMOV, Kirill, red.; GORANOVA, Mariya G., nauchnyy red.; TSOLEVA, Margarita M., nauchnyy red.; BAYKUSHEV, G., tekhn. red.

[Vegetable in present-day cookery]Ovoshchi v sovremennoi kulinarii. Pod red. Kirilla Gerasimova. Sofia, Gos.izd-vo "Tekhnika," 1962. 353 p. Translated from the Bulgarian. (WIRA 15:12)

KROL!, M.Yo.; IVANOVA, N.M.; KACHAUNOVA, N.M.

Use of fluorescence microscopy for the laboratory diagnosis of tuberculosis. Probl. tub. 37 no.7:84-89 59. (MIRA 13:4)

1. Is otdela mikrobiologii (saveduyushchiy - kand.med.nauk V.I. Kudryavtseva) Leningradskogo instituta tuberkuleza (direktor prof. A.D. Semenov). (TURKECULOSIS diagnosis)

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

SKRYGAN, F. [Skryhan, F.]; KACHAVY, M.


Career of an outstanding woman. Rab.i sial. 36 no.6:6-7 Je
(MIRA 13:7)

(Starobino District—Women as farmers)

RACHAY, F.A., vrach (Earel'skaya ASSR)

Peculiarities of the care of patients with lober pneumonia, Med. sostra 16 no.11:24-27 N'57, (MIRA 11:2)

(PMEUMONIA) (MURSES AND MURSING)



	Some difficulties in the diagnosis of simple Alcoholic, intoxication, Prak, sudebnopsikh. ekspert. no. 5:70-77 '61. (MIRA 16:4)  (ALCOHOLISM AND CRIME) (FORENSIC PSYCHIATRY)											
	. <b></b>		(ALCOHOI	JSM AND	CRIME)	(FOREIS)	ic Psici	HIATRY)				
			٠.	•				•	<b>1</b>	( c		
									<i></i>	4		
-												
	•											
		· .:							•			
4				•					•	:		

# RACHAYEV, A.K. Role of subjective complaints in the expertise on alcoholic intoxication. Prak.sudebnopsikh.ekspert. no.7:36-41 '62. (MIRA 16:2) (FORENSIC PSYCHIATRY) (ALCOHOLISM)

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

### KACHAYEV, A.K.

Possibility of a conversion of plain alcoholic intoxication into a pathological state. Probl.sud.psikh. no.12:40-45 162.

(MIRA 16:4)

(ALCOHOLISM AND CRIME)

ME LINE

ARISTOVA, P.I.; SHCHIPTSOVA, V.G.; KACHAYEV, E.D. Machine for cotton processing directly from the bale. (MIRA 15:10) Nauch.issl.trudy IvNITI 25:3-14 '61.

(Cotton machinery)

**APPROVED FOR RELEASE: 07/19/2001** CIA-RDP86-00513R000519820001-5"

sov/84-58-11-37/58

AUTHOR:

Kachayev, K. (Syktyvkar)

TITLE:

Four Friends (Chetvero druzey)

PERIODICAL:

Grazhdanskaya aviatsiya, 1958, Nr 11, p 30 (USSR)


ABSTRACT: The author cites the record of four friends, former Komsomol members, V. Kovalenko, G. Silkin, V. Chernyshev and N. Khalepa, honor graduates from an aviation school. Assigned together to an aviation unit, they soon became copilots, and since 1958 have been flying heavy transport planes on northern highways.

Card 1/1

VOYEVODIN, A.V., kand. sel'skokhoz. nauk; KUDEL', K.Ye., nauchnyy sotrudnik; MURAROVA, O.I.; NIBYT, V.A.; TARASENKO, I.M., kand. biolog. nauk; SMELYANETS, V.P.; PALASKAS, D.N.; KOROBATOV, V.A., starshiy nauchnyy sotrudnik; BORDUKOVA, M.; KACHAYEVA, V., semenoved; GLINKA, Ye., agronom; SHEVCHENKO, A.B., aspirant; BOCHAROV, K.; GLEBOV, M.A., kand. ekonom.

Results of herbicide testing. Zashoh. rast. ot vred. i bol. 9 no.7:23-26 '64. (MIRA 18:2)

1. Vsesoyuznyy institut zashchity rasteniy (for Voyevodin). 2. Ukrainskiy nauchno-issledovatel'skiy institut zashchity rasteniy (for Kudel', Smelyanets). 3. Nachal'nik Kiyevskoy oblastnoy stantsii zashchity rasteniy (for Murarova). 4. Zaveduyushchiy Mironovskim punktom signalizatsii (for Nibyt). 5. Nizhnedneprovskaya stantsiya obleseniya peskov i vinogradarstva na peskakh, TSuryupinsk, Khersonskoy oblasti (for Tarasenko). 6. Zaveduyushchiy Kokandskim nablyudatel nym punktom, Ferganskoy oblasti (for Palaskas). 7. Azerbaydzhanskiy nauchno-issledovatel!skiy institut khlopkovodstva, Kirovabad (for Korobatov). 8. Zaveduyushchiy Moskovskoy kartofel'noy toksikologicheskoy laboratoriyey (for Bordukova). 9. Sovkhoz "Voskresenskiy", Moskovskoy oblasti (for Kachayeva). 10. Moskovskaya kartofel'naya toksikologicheskaya laboratoriya (for Glinka). 11. Ukrainskiy institut rasteniyevodstva, selektsii i genetiki imeni V.Ya. Yur'yeva (for Shevchenko). 12. Nachal'nik Kurskoy stantsii zashchity rasteniy (for Bocharov).



# KACHAYEV, V., kapitan dal'nego plavaniya Lumber transportation on ships of the type "Andizhan.". Mor. (MIRA 15:12) flot 22 no.12:15-16 D '62.

1. Glavnyy shturman Dal'nevostochnogo parokhodstva.
(Lumber—Transportation) (Merchant ships—Cargo)

## KACHAYEV. V., kapitan dal'mago plavaniya

Steamship line across the Pacific Ocean. Mor. flot. 23 no.ll: (MIRA 16:12)

1. Glavnyy shturman Dal'newostochnogo parokhedstva.

KOLOMIYTSEV, F.M., dotsent; KACHAYEV, V.F., ispolnyayushchiy obyazannosti dotsenta (Barnaul)

Connection of teaching public health organization with practice in the Altai Medical Institute. Sov. zdrav. 22 no.9:43-47 '63. (MIRA 17:4)

1. Iz kifedry organizatsii zdravcokhraneniya i istorii meditsiny Altayskogo meditsinskogo instituta.

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

### KACHAYEV, V.F., assistent

Public health in the Kurst vice-regency and in the Kursk government in the 18th and the first half of the 19th century. Shor. trud. Kursk. gos. med. inst. no.13:87-91 158. (MIRA 14:3)

1. Iz kafedry organizatsii zdravookhraneniya i istorii meditsiny (zev. - dotsent A.G.Kurochkina) Kurskogo gosudarstvennogo meditsinskogo institute.

(KURSK\_\_PUBLIC HEALTH)

KOLOMIYTSEV, F.M.; KACHAYEV, V.F. (Barnaul)

Assistance rendered by the Altai Medical Institute to public health agencies and institutions in 1962. Zdrav. Ros.Feder. 7 no.7:27-28 J1:63. (MIRA 16:9)
(ALTAI TERRITORY—PUBLIC HEALTH)

OF FREE PERFECTIONS STRUCK TO THE CO.

KACHAYEV, V.L., podpolkovnik meditsinskoy sluzhby

Treating some paresthetic forms of neuralgia at the Sochi-Matsesta health resort. Voen.-med. zhur. no.6:56-59 Je 156. (MIRA 9:9)

(NEURAIGIA)

(SOCHI-MATSESTA--MINERAL WATERS, SULFUROUS)

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

# KACHAYEV, V.L.

Dynamics of neurological disorders in surgical treatment of focal epilepsy. Zhur. nevr. i psikh. 61 no.9:1328-1331 '61. (MIRA 14:9)

l. Leningradskiy nauchno-issledovatel skiy neyrokhirurgicheskiy institut imeni A.L.Polenova (dir. - prof. W.N.Shemov).

(EPILEPSY) (NERVOUS SYSTEM\_DISEASES)

· 一句 15。 它是特殊可以用于理解的政策和特殊的原则的特殊的。

D'YACHKOV, V.G.; KACHAYEY, V.L.

Neurinoma of the spinal cord with the clinical course simulating tabes dorsalis. Vop.psikh.i nerv. 8:305-306 '62. (MIRA 17:4)

1. Iz Leningradskogo nauchno-issledovatel'skogo neyrokhirurgicheskogo instituta imeni prof. A.L.Polenova (dir. - deystvitel'nyy chlen AMN SSSR, prof. V.N.Shamov).

TKACH, P.N.; KACHAYEV, V.L.

Fat embolism in the vessels of the brain in a leg gracture. Vop. psikh. i nevr. no.9:128-131 '62. (MIRA 17:1)

1. Travmatologicheskoye otdeleniye Ob"yedinennoy bol'nitsy Oktyabr'skoy zheleznoy dorogi (nachal'nik bol'nitsy - M.A. Ivanova) i Leningradskiy nauchno-issledovatel'skiy neyro-khirurgicheskiy institut imeni A.L. Polenova (dir. instituta - prof. V.M. Ugryumov).

#### ZEMSKAYA, A.G.; KACHAYEV, V.L.

1. Leningradskiy nauchno-issledovateliskiy neyrokhirurgicheskiy institut imeni prof. A.L. Polenova (dir. - prof. V.M. Ugryumov).

#### KACHAYEV, V.L.

State of the vasomotor function of the peripheral nerves in the late period following their suturing. Zhur.nerv.i psikh. 62 no.6:846-852 '62. (MIRA 15:11)

1. Leningradskiy nauchno-issledovatel skiy neyrokhirurgicheskiy institut imeni A.L.Polenova (dir. - prof. V.M.Ugryumov).

(NERVES, PERIPHERAL—SURGERY)

(NERVOUS SYSTEM, VASOMOTOR)

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

# KACHAYEV, V.L. (Leningrad)

Late results of the application of a nerve suture following a combat injury of an extremity. Vrach.delo no.3:71-75 Mr '63. (MIRA 16:4)

1. Nauchno-issledovatel skiy neyrokhirurgicheskiy institut imeni prof. A.L.Polenova, Leningrad.

(SUTURES) (NERVES SURGERY)

(SUTURES) (NERVES—SURGERY)
(METREMITIES (ANATOMY—WOUNDS AND INJURIES))

**APPROVED FOR RELEASE: 07/19/2001** CIA-RDP86-00513R000519820001-5"

VOLKOV, A.A.; KACHAYEV, V.L.; KRIVOSHEINA, Yu.P.

Neurological evaluation of the state of patients with brain tumors during the process of treatment with radioactive gold and after it. Zhur. nevr. i psikh. 64 no.11:1626-1630 '64. (MIRA 18:6)

1. Leningradskiy neyrokhirurgicheskiy institut im. A.L. Polenova (direktor - prof. V.M. Ugryumov) i kafedra neyrokhirurgii (zaveduyushchiy - prof. I.S. Babchin) Leningradskogo instituta usovershenstvovaniya vrachey im. S.M. Kirova.

UGRYUMOV. V.M., prof.; LUBENSKIY, Ye.G.; KALINER, S.S.; KACHAYEV, V.L.; DUBIKAYTIS, Yu.V.; FEDOROVA, I.D.

Surgical treatment of traumatic epilepsy in adults. Vop. reirokhir. 28 no.2:41-45 Mr-Ap '64. (MIRA 18:2)

TO STATE A LEADING STREET AND THE PROPERTY OF THE PARTY O

1. Leningradskiy nauchno-issledovatel'skiy neurokhirurgicheskiy institut imeni A.L. Polenova (direktor - prof. V.M. Ugryumov).

IVANOV, V.M.; KACHAYEVA, A.S.; SHMIGFL', L.M.; GERSHOVICH, F.S.; SKVORTSOVA, L.F.
Stock dyeing of viscose fibers. Khim. volok. no.3:58 '65. (MIRA 18:7)

1. Cherkasskiy zavod iskusstvennogo volokna.

POPOVSKAYA, O.M.; KACHAYEVA. C.L.

Relation of soil temperature in a potato field to air temperature.

Trudy TSIP no.145:186-191 165. (MIRA 18:10)

POPOVSKAYA, O.M.; KACHAYEVA, O.L.

Microclimatic characteristics of a potato field in the Moscow region.
Trudy TSIP no.140:118-135 '65. (MIRA 18:7)

MIKHAYLOV, A.N., otv.red.; SAKULINSKAYA, M.G., otv.red.; GULINOVA, N.V., nauchnyy sotrudnik, retsensent; KACHAYEVA, O.L., nauchnyy sotrudnik, retsensent; POPOVSKAYA, O.M., nauchnyy sotrudnik, retsensent; RULMEV, V.M., nauchnyy sotrudnik, retsensent; RULMEV, V.M., nauchnyy sotrudnik, retsensent; SAVEDARG, S.F., nauchnyy sotrudnik, retsensent; USHAKOVA, T.V., red.; VLADIMIROV, O.G., tekhn.red.

THE STREET STREET STREET, WHICH THE STREET STREET, STR

[Agreelimatic reference book on Chuvashia] Agroklimaticheskii spravochnik po Chuvashakoi ASSR. Leningrad, Gidrometeor.isd-vo, 1960. 127 p. (MIRA 13:11)

1. Gorkiy. Gidrometeorologicheskaya observatoriya. 2. TSentral'nyy institut prognozov (for Gulinova, Kachayeva, Popovakaya, Pobetova, Endnev, Savsdarg).

(Chuvashia---Crops and climate)

KACHAYEVA, Z.F.

USSR / Cultivated Plants. Technical, Oleaceous, Sugar Bearing Plants.

м-6

Abs Jour

: Ref Zhur - Miclogiya, No 13, 1958, No. 58695

Author

: Karpenko, I. S.; Kachayeva, Z. F.

Inst

: Tomak State Pedagogical Institute

Title

: Experimental Cultivation of Ethiopian Crambe in

Tomsk

Orig Pub

: Uch. zap. Tomskiy gos. ped. in-t., 1956, 15, 437-451

Abstract

: This is a brief review and results of work carried out in the agrosector of the Tomak botanical garden and at the Tomak zonal station. It was established that the soil-climatic conditions of Tomak are appropriate for the cultivation of Ethiopian crambe. The yield of seeds was 12-50 cwt/ha. The seeds contain 30-44.5% of oil, corresponding in terms of its physicochemical properties to the oil, obtained from crambe

Card 1/2

120

Plante.

THORITAL, Uleaceous Sugar Bearing

M-6

Abs Jour | Ref Zhur - Biologiya, No 13, 1958, No. 58695

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"
In the tasic regions of cultivation of this crop.

The net weight of the seeds was normal. It increased in the case of earlier scwing periods. The vegetation period fluctuates between 81 and 115 days, depending on the period of scwing and meteorological conditions.

Crambe graws slowly until the advent of the budding phase (daily increment of not more than 0.5 cm).

phase (daily increment of not more than 0.5 cm). It grows very rapidly during the periods of budding, blooming and fruit formation (increment of 1.5-4.6 cm per day). The growth slows up considerably during the ripening period. -- N. N. Konstantinov

Card 2/2

KACHAYLO, S.L.

KACHAYLO,S.I.

Knife-switch commutator. Rats. i izobr. predl. v stroi. no.104: 21-22 '55. (MIRA 8:11) (Electric switchgear)

CHEKMAREV, A.P., akademik; KACHAYLOV, A.P., inzh.

Determination of actual yield points in steel by hot torsion.

Trudy Inst. chern. met. AN URSR 17:83-98 162. (MIRA 15:10)

1. Akademiya nauk UkrSSR (for Chekmarev).
(Steel—Testing) (Deformations (Mechanics))

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

S/032/63/029/002/017/028 B101/B186

AUTHORS:

Chekmarev, A. P., and Kachaylov, A. P.

TITLE:

Determination of the resistance of steel to torsional deformation at different temperatures and deformation rates

PERIODICAL: Zavodskaya laboratoriya, v. 29, no. 2, 1963, 213 - 215

TEXT: The torsional testing of steel tubes is described, these having an external diameter 24-26 mm, internal diameter 17 mm and being made by turning in a lathe at  $900-1200^{\circ}\mathrm{C}$ , deformation rate 14-253 sec<sup>-1</sup>. The torque was measured with wire strain gauges. Torque, torsion angle and number of revolutions of the spindle were recorded with a Siemens galvanometer oscillograph. The dependence  $\tau = f_1(\gamma)$  where  $\gamma = a\phi/1$ ,  $\phi$ -torsion

angle, I length of specimen, was obtained from the torque versus torsion angle curve from the equation  $\tau = M_t/2\pi a$  h, where  $\tau$ -resistance to deformation,  $M_t$ -torque, a-radius of the specimen, h-thickness of the wall. With the aid of the relations  $\tau = \sigma/\sqrt{3}$ ,  $\gamma = 2\epsilon$ ,  $\gamma = 2u$  the  $\sigma = f(u)$  curves can be determined for different degrees of deformation and different tempera-

Determination of the resistance of ...

S/032/63/029/002/017/028 B101/B186

tures,  $\sigma$  is the resistance to deformation,  $\varepsilon$  is the degree of deformation, %, u is the rate of deformation,  $\sec^{-1}$ . The relation  $\gamma = 2\varepsilon$  is valid to  $\gamma \leq 60\%$ . Tests with P18 (R18) steel gave good agreement with published data among them those of P. M. Cook, A. W. McCrum (The calculation of load and torque in hot flat rolling, BISKA, March (1958)).

马克克 的复数经验的自己创新 医外外的连线性神经炎性病 "

ASSOCIATION: Dnepropetrovskiy institut chernoy metallurgii (Dnepropetrovsk Institute of Ferrous Metallurgy)

Card 2/2

L 41262-66 EWT(m)/EWP(t)/ETI/EWP(k) 1JP(c) JD/WW
ACC NRI AT6012090 SOURCE CODE: UR/3177/65/021/000/0306/0309

AUTHOR: Chekmarev, A. P. (Academician AN UkrSSR); Kachaylov, A. P. (Candidate of technical sciences)

ORG: none

TITLE: Pacticity of steel at high temperatures

SOURCE: Depropetrovsk, Institut chernoy metallurgii. Trudy, v. 21, 1965. Prokatnoye proisvodstve (Welding production), 306-309

TOPIC TAGS: low chromium steel, high chromium steel, plasticity, high temperature effect, torsion strength / ShKhl5 low-Cr steel, Kh982 high-Cr steel

ABSTRACT: Plasticity is one of the features that must be considered when selecting the regime of heat treatment for any mark of steel; it is highly influenced by temperature. In view of the current rapid advances in the production of high-alloy steels and alloys which are prone to overheating (above the liquidus), the need for a method of quick preliminary determination of the plastic properties of steel at high temperatures has become particularly acute. The torsion test is gaining increasingly popularity in this respect. Its findings are used to plot the number of twists until rupture as a function of temperature. However, various investiga-

Card 1/4

L 41262-66

#### ACC NR: AT6012090


Ŝ

tors use specimens of various dimensions (particularly length) when studying plasticity by means of the torsion test, and this complicates a comparison of the experimental findings. To eliminate this complication, the authors propose using a new plasticity indicator in lieu of the number of twists until rupture (which are greatly affected by the length of the specimens), namely, the relative angle of twist until rupture:

$$\theta = \frac{\varphi}{i_p},$$

where  $\theta$  is angle of twist at rupture, radians;  $l_{\rm w}$  is the length of working part of the specimen, mm. This eliminates the effect of dimension of the specimen on the experimental findings. To confirm the validity of this formula, hot twist tests were carried out with the aid of a clamp revolving at the fixed rate of 150 r.p.m. The values of the plasticity indicator  $\theta$  were calculated for each temperature (900, 1000, 1100 and 1200°C) with respect to 10 marks of steel. The findings, as presented in the form of curves in Fig. 1, which shows that, e.g. steel no. 2 (ShKhl5 low-Cr steel) displays maximum plasticity ( $\theta = 1$ . Tradians) when hot-twisted at 1000°C, whereas at the same temperature the  $\theta$  of steel no. 5 (Kh952 high-Cr steel) falls to its minimum (0.7 radians). Considering that octahedral displacement is a good criterion of the change in deformation on transition from one stressed state to another, and further con-

Cord 2/4



0

L 41262-66

#### ACC NR: AT6012090

sidering that relative rolling reduction  $\epsilon = h_0 - h_1/h_0$ , at which the first signs of fracture appear, serves as the criterion of the maximum plasticity of steels and alloys, the authors calculated as follows the ratios of relative displacements  $\gamma$  during torsion to relative reductions  $\epsilon$ :


€ ... 0,1 0,2 0,3 0,4 0,5 0,6 0,7 0,8 0,9 Y ... 0,183 0,399 0,657 1,0 1,5 2,33 3,9 8,37 27,02


since  $\gamma = \theta R_{av}$  and the specimens tested had a 9-mm radius of working part, it is possible with the aid of the above data to refer maximum plasticity to the corresponding degree of relative reduction during rolling. These findings make it possible to compare the plasticity of metals at high temperatures so as to accordingly improve their hot working. Orig. art. has: 1 figure, 2 tables.

SUB CODE: 13,11,20/SUBM DATE: none/ ORIG REF: 010/ OTH REF: 001

Card 4/4 LC

EWT(m)/EWP(t)/ETI/EWP(k) [JP(c) ACC NR: AT6012091 (N) SOURCE CODE: UR/3177/65/021/000/0310/0313 AUTHOR: Meleshko, V. I. (Candidate of technical sciences); Kachaylov, A. P. (Candidate of technical sciences ORG: none TITLE: Effect of work hardening and temperature on the mechanical properties of Khl8N10T steel SOURCE: Dnepropetrovsk. Institut chernoy metallurgii. Trudy, v. 21, 1965. Prokatnoye proizvodstvo (Welding production), 310-313 TOPIC TAGS: tensile testing machine, stainless steel, mechanical property, temperature dependence, material deformation / UM-5A tensile testing machine, Khl8Nl0T steel ABSTRACT: This effect was investigated for specimens of hot-rolled Khl8Ni0T stainless steel 3.8-3.9 mm thick which were rolled in a four-high mill to various degrees of deformation (8, 13, 20, 40, 60, 70 and 75%) and then subjected to hot tensile strength tests at five different temperatures (0, 100, 200, 300 and 400°C, 20 min each time) in an UM-5A tensile testing machine in order to elucidate the influence of the temperature conditions of deformation on Card 1/4





41263-56 ACC NR: AT6012091

It is thus established that  $\sigma_{0.2}$  and  $\sigma_{B}$  decrease with increasing temperature and that for  $\sigma_{0.2}$  this decrease is virtually independent of the degree  $\epsilon$  of deformation. The effect of temperature is the strongest within the ranges of 20-200 and 300-400°C. As  $\epsilon$  increases the strength characteristics increase for any test temperature. The plasticity of steel decreases both with increase in preliminary deformation  $\epsilon$  and with increase in temperature within the limits investigated. Orig. art. has: 4 figures, 1 table.

SUB CODE: 13, 11,20/SUBM DATE: none

Card 4/4 LC

ACC NR: AT6012092	)/EWP(t)/ETI LJP(c) JD/JT/JXT(CZ)
	SOURCE CODE: UR/3177/65/021/000/0314/0317
AUTHOR: Kachaylov, A. P. (C	andidate of technical sciences)
	Br.
ORG: none	Control of the second of the s
of the state of the state of	
TITLE: Deformation resistance	of Kh982 steel in the presence of high temperatures and
strain rates	area in the presence of high temperatures and
Land Land	
OURCE: Deproperroysk Inst	itut ahamay matalian ta m
proizvodstvo (Welding production	itut chernoy metallurgii. Trudy, v. 21, 1965. Prokatnoye
Production	n\text{1} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
POPIC TAGS: silchrome steel	model defining
effect, torsion stress, plasticity	metal deformation, deformation rate, high temperature
	// A0952 Siichrome steel
torpion peropp, brasticity	The state of the s
basicity	
ABSTRACT: This effect was inv	estimated for Whose 11.1
ABSTRACT: This effect was inv	restigated for Kh982 silchrome steel (0.38% C, 2.36% Si, 0.014% S, 0.027% D) with the silchrome steel (0.38% C, 2.36% Si,
ABSTRACT: This effect was inv. 38% Mn, 8.60% Cr, 0.16% Ni, hin-walled (1 mm thick) specime	restigated for Kh9S2 silchrome steel (0.38% C, 2.36% Si, 0.014% S, 0.027% P) with the aid of hot twist tests of tubular
ABSTRACT: This effect was involved as the control of the control o	restigated for Kh9S2 silchrome steel (0.38% C, 2.36% Si, 0.014% S, 0.027% P) with the aid of hot twist tests of tubular cans with an average radius $R_{av} = 9$ mm following deformation 1.81.7 and 168 5 sec-1) and
ABSTRACT: This effect was involved as 18% Mn, 8.60% Cr, 0.16% Ni, hin-walled (1 mm thick) specime t four different rates (26.4, 47. nd 1200°C) by a method describe	restigated for Kh9S2 silchrome steel (0.38% C, 2.36% Si, 0.014% S, 0.027% P) with the aid of hot twist tests of tubular cans with an average radius $R_{av} = 9$ mm following deformation 1, 81.7 and 168.5 sec <sup>-1</sup> ) and temperatures (900, 1000, 1100 of elsewhere (A. P. Chelmannus 1400).
ABSTRACT: This effect was inv. 38% Mn, 8.60% Cr, 0.16% Ni, hin-walled (1 mm thick) specime t four different rates (26.4, 47. nd 1200°C) by a method describe	restigated for Kh9S2 silchrome steel (0.38% C, 2.36% Si, 0.014% S, 0.027% P) with the aid of hot twist tests of tubular cans with an average radius $R_{av} = 9$ mm following deformation 1, 81.7 and 168.5 sec <sup>-1</sup> ) and temperatures (900, 1000, 1100 of elsewhere (A. P. Chelmannus 1400).
ABSTRACT: This effect was involved in the control of the control o	restigated for Kh9S2 silchrome steel (0.38% C, 2.36% Si, 0.014% S, 0.027% P) with the aid of hot twist tests of tubular cans with an average radius $R_{av} = 9$ mm following deformation 1.81.7 and 168 5 sec-1) and average radius $R_{av} = 9$ mm following deformation
ABSTRACT: This effect was involved in the control of the control o	restigated for Kh9S2 silchrome steel (0.38% C, 2.36% Si, 0.014% S, 0.027% P) with the aid of hot twist tests of tubular cans with an average radius $R_{av} = 9$ mm following deformation 1, 81.7 and 168.5 sec <sup>-1</sup> ) and temperatures (900, 1000, 1100 of elsewhere (A. P. Chelmannus 1400).

On the whole, it is established that Kh9S2 steel displays maximum plasticity at 1200°C hence this is the optimal temperature of heat treatment for this steel. As for the effect strain rates, measurements of Rockwell hardness H <sub>RC</sub> showed that it increases with in strain rate, since higher strain rates retard crystallization, and increase the crystatemperature. Orig. art. has: 5 figures.  SUB CODE: 11, 13,20SUBM DATE: none/ORIG REF: 003	and
temperature. Orig. art. has: 5 figures.	t of
SUB CODE: 11, 13,20 SUBM DATE: none/ ORIG REF: 003	
<b>表</b> 屬	
Cord 3/3 1C	

ACC NRI AR6027514

SOURCE CODE: UR/0137/66/000/004/1078/1079

AUTHOR: Meleshko, V. I.; Kachaylov, A. P.

TITLE: Effect of cold working and temperature on the mechanical properties of

SOURCE: Ref. zh. Hetallurgiya, Abs. 41529

REF SOURCE: Nauchn. tr. In-t chern. metallurgii Gos. kom-ta po chern. i tsvetn. metallurgii pri Gosplane SSSR, v. 21, 1965, 310-313


TOPIC TAGS: cold working, stainless steel, mechanical property, plasticity, metal deformation / Kh18N1OT steel


TRANSLATION: Samples were prepared from stainless steel quenched after hot-rolling and pickled. The thickness of the original samples varied within the range 3.8-3.9 mm. The samples were cold rolled. The testing temperatures were 0, 100, 200, 300 and  $400^{\circ}$ C. The amounts of deformation during rolling were 0.8, 13, 20, 40, 70 and 75%. With increase of temperature,  $\sigma_{0.2}$  and  $\sigma_{b}$  decreased. The decrease of  $\sigma_{0.2}$  was practically independent of preliminary deformation. When the temperature was raised to  $100^{\circ}$ C, the decrease in  $\sigma_{0.2}$  was 5-7% for samples of nondeformed steel, while for samples deformed 7% in compression, it was about 8-9%. At  $400^{\circ}$ C, the decrease was respectively


UDC: 669.15.018.8

**Card 1/2** 

amount of V. Olenic	deformation	as well as	with an in	crease in tes	th increased for th a rise in the ting temperature
SUB CODE:					







. 39795 s/032/62/028/008/008/014 в104/в102

18.8700

AUTHORS: Kachaynik, O. I., and Berman, S. I.

TITLE: Determination of the plastic yield stress at high temperatures

applying high rates of deformation

PERIODICAL: Zavodskaya laboratoriya, v. 28, no. 8, 1962, 971 - 975

TEXT: Specimens of titanium alloyed with Al, V and Mo were tested in a tensile testing machine at stretching rates of 222, 520 and 1400 mm/sec. The deformation rates were 556, 1300 and 3500 %/sec. The force acting on the samples was measured with a pressure cell and electric strain gages. During the experiment the samples were subjected to temperatures of 600, During the experiment the samples were subjected to temperatures of 600, 700, 800, 900, 1000, 1100 and 1150°C inside a tubular furnace. Elongation was measured by strain gages and contraction photoelectrically. A specimen was stretched at a rate of 222 mm/sec after annealing at 1000°C for 10 min; was stretched at a rate of 222 mm/sec after annealing at 50%. There are 4 figures and 1 table.

X

Oard 1/2

Determination of the plastic yield ...

S/032/62/028/008/008/014 B104/B102

ASSOCIATION: Moskovskiy institut stali i splavov (Moscow Institute of Steel and Alloys)

X

3C


Card 2/2

KACHAYNIK, O.I., kand.tekhn.nauk

Investigation of force parameters during hot rolling. Trudy MATI no.62:91-100 '65. (MIRA 18:10)

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

ACC NR. AT5027921 ANF(1)/EWF(5) SOURCE CODE: UR/2536/65/000/062/0091/0100  AUTHOR: Kachaynik, O. I. (Candidate of technical sciences)	111111111111111111111111111111111111111
TITLE: Temperature dependence of deformation during the hot rolling of a Ti-base	
SOURCE: Moscow. Aviatsionnyy tekhnologicheskiy institut. Trudy, no. 62, 1965.  Obrabotka davleniyem legkikh splavov (Pressure working of light alloys), 91-100  TOPIC TAGS: titanium base alloy, hot rolling, temperature dependence, plastic deformation, impact strength, metalworking, ultimate strength, elongation  ABSTRACT: The author presents the results of an investigation of the technological formed with the object of determining the optimal temperatures and strength characteristics during its hot working. This alloy has the structure of (\alpha + \beta)-phase. At 500°C of 24-26%. Impact tests of specimens were performed as temperatures of from room prior to the appearance of the first crack; the degree of deformation could be adcounted and the specimens of the impact testing machine with the object of card 1/3	
UDC; 669.295; 621, 97, 07	



APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

**经现在规程的特别的** 

## ACC NR: AT5027921

restraining the motion of the ram. These tests showed that the optimal temperature range for the hot working of this particular alloy is 800-1100°C, since then the impact strength and degree of deformation prior to appearance of first crack are maximal. Hot rolling of specimens in a two-high mill at temperatures of 800, 900, 1000 and 1100°C with degrees of deformation amounting to 10, 20, 30 and 40% in the presence of dynamometers made it possible to plot the mean unit roll pressure pm as a function of temperature and the i;h ratio (ratio of length of area of deformation to mean thickness of strip). Tensile tests of specimens made it possible to determine the variation in deformation resistance So as a function of the strain rate and degree of deformation at various test temperatures, on using as the tensile testing machine a 3-ton chain-type drawing mill/with the traveling rate of the chain being successively adjusted to 222, 520 and 1400 mm/sec: for specimens 40 mm long the deformation rate in this case was 5.56, 13 and 35 sec-1, respectively (Fig. 1). Analysis of the experimental findings by means of Tselikov's formula (Prokatnoye proizvodstvo. Handbook, edited by Ye. S. Rokotyan, vol. 1, Metallurgizdat, 1962) showed that the attendant friction coefficients are quite acceptable in practical engineering calculations. Orig. art. has: 6 figures, 2 tables.

SUB CODE: 11, 13/ SUBM DATE: none/ ORIG REF: 005/ OTH REF: 000

Card 3/3

PETROV, L.A.; FOMENKO, G.N.; KACHEGIN, V.P.

Advantage of using wood and concrete rod bolting. Gor.zhur. no.10:72-73 0 '64. (MIRA 18:1)

1. Sibirskiy proyektnyy nauchno-issledovatel'skiy institut tsvetnoy metallurgii (for Petrov, Fomenko). 2. Glavnyy inzh. Sovetskogo rudnika Krasnoyarskogo soveta narodnogo khozyaystva (for Kachegin).

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

# "APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5

25643 KACHELEIN, L. I.

Soveshaniya rabotnikov lesotekhnichekikh institutov. /Yanv. i Fevr. 1948/, Vestnik vyssh. shkoly. 1948, No. 6, s. 50-52.

SO: Letopis! Zhurmal'nykh Statey, No. 30, Noskva, 1948

KACHELKIN, L. I. 25643

Soveshaniya Rabotnikov Lesotekhnichkikh Institution. (Yanv. I Fevr. 1948) Vestnik Vyssh. Shkoly. 1948, No. 6 S. 50-52

SO: LETOPIS NO. 30, 1948

### KACHELKIN, L. I.

Kachelkin, L. I. "Reorganize the insturction of forestry science", Vestnik vyssh. shkoly, 1949, No. 2, p. 1-6.

SO: U-3042, 11 March 53, (Letopis 'nykh Statey, No. 9, 1949)

COMPANY OF THE PARTIES OF THE PROPERTY OF THE PARTIES OF THE PARTI

KACHELKIN, Leonid Ivanovich; GUSARCHUK, D.M., red.; KSENOFONTOV, I.A., red.; YASINSKIY, B.N., red.; MYAKUSHKO, V.P., red.izd-va; SHIRKOVA, R.Ye., tekhn.red.

[Complete utilization of wood waste] Kompleksnoe ispol'zovanie otkhodov drevesiny. Moskva, Goslesbumizdat, 1961. 201 p.
(MIRA 15:5)

1. Moscow. Vystavka dostizheniy narodnogo khozyaystva SSSR.
2. TSentral'nyy nauchno-issledovatel'akiy institut mekhanizatsii i energetiki lesnoy promyshlennosti (for Kachelkin).

(Wood-using industries)

(Wood waster)

VORONITSYN, K.I., kand. tekhn. nauk, red.; TIZENGAUZEN, P.E., kend. tekhn. nauk, red.; NADBAKH, M.P., red.; TANTSEV, A.A., starshiy nauchnyy sotr., red.; ABRAMOV, S.A., kand. tekhn. nauk, red.; ABRAMOV, D.A., red.; BOGDANOV, N.I., starshiy nauchnyy sotr., red.; VINOGOROV, G.K., kand. tekhn. nauk, red.; GAVRILOV, I.I., starshiy nauchnyy sotr., red.; GUSARCHUK, D.M., starshiy nauchnyy sotr., red.; D'YAKONOV, A.I., red.; ZAV'YALOV, M.A., kand. tekhn. nauk, red.; ZARETSKIY, M.S., starshiy nauchnyy sotr., red.; KACHELKIN, L.I., starshiy nauchnyy sotr., red.; KISHINSKIY, M.I., kand. tekhn. nauk, red.; KOLTUNOV, B.Ya., starshiy nauchnyy sotr., red.; OSIPOV, A.I., kand. tekhn. nauk, red.; SHINEV, I.S., kand. ekon. nauk, red:

> [Materials of the enlarged session of the Scientific Council of the Central Scientific Research Institute for Mechanization and Power Engineering in Lumbering on problems concerning power engineering and the electrification of the lumber industry] Materialy rasshirennoi sessii Uchenogo soveta TsNIIME po voprosu energetiki i elektrifikatsii lesnoi promyshlennosti. Moskva, 1961. 75 p. (MIRA 15:4)

(Continued on next card)

VORONITSYN, K.I.--(continued) Card 2.

LKhimki.TSentral'nyy nauchno-issledovatel'skiy institut mekhanizatsii i energetiki lesnoy promyshlennosti. 2. Nachal'nik
TSentral'nogo byuro tekhnicheskoy informatsii lesnoy promyshlennosti (for Nadbakh). 3. Direktor TSentral'nogo nauchnoissledovatel'skogo instituta mekhanizatsii i energetiki lesnoy
promyshlennosti (for Voronitsyn). 4. Uchenyy sovet TSentral'nogo
nauchno-issledovatel'skogo instituta mekhanizatsii i energetiki
lesnoy promyshlennosti (for D'yakonov). 5. Nachal'nik otdeleniya
energetiki i sredstv avtomatizatsii TSentral'nogo nauchnoissledovatel'skogo instituta mekhanizatsii i energetiki lesnoy
promyshlennosti (for Zaretskiy).

(Lumbering) (Electric power)

KACHELKIN, L.I.; YURCHENKO, K.S.; PLOTNIKOV, Yu.V.

emparamentalismentalismentalismentalismentalismentalismentalismentalismentalismentalismentalismentalismentalis Andrews of the control of the

\*DU-2" chipper. Bum.prom. 38 no.4:19-20 Ap '63. (MIRA 16:5)

1. TSentral'nyy nauchno-issledovatel'skiy institut mekhanizatsii i energetiki lesnoy promyshlennosti.

(Woodpulp industry—Equipment and supplies)

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

KACHELKIN, L.I.; RUSHNOV, N.F.; KOROĐOV, V.V.; MIKHAYLOV, G.M.; CHEREZOVA, V.M.

[Use of lumbering wastes] Ispol'zovanie otkhodov lesozagotovok. Moskva, Lesnaia promyshlennost', 1965. 322 p. (MIRA 18:6)

1. Nachal'nik laboratorii ispol'zovaniya drevesiny i drevesnykh otkhodov TSentral'nogo nauchno-issledovatel'skogo instuta mekhanizatsii i energetiki lesnoi promyshlennosti (for Kachelkin).

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

## "APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5

KACheLsko		
	Mi45  Kachelskin O. On Using Certain Salis of Tri-Thio-Carbonic Acid for Qualitative Apalesis of Cations.	$\int$
	dualitative Apalysis of Cations.  "O zastosowaniu nicktorych soli kwasu trojtioweglowego w analizie jakościowej kationów". Frzemysł Chemiczny. No. 8, 1955. pp. 317—320.  A simple melliod has been devised for obtaining an approximately in aqueous solution of sodium tri-thio-carbonate by trending NaOH	
	solutions with hydrogen sulphide and carbon disulphide. This solution, diluted 1: 10, almost adourless and of prolonged sublity, was used instead of hydrogen sulphide as a group reagent for precipitating sulphides of the second and third cation groups.	
	assimilar estatutus kalendria kassania kassania kassania kassania kassania kassania kassania kassania kassania Kassania kassania ka	

#### "APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5

KACHEMASOVA D. P.

USSR / Microbiology. Hygienic Microbiology.

 $\mathbf{F} - \mathbf{1}$ 

Abs Jour

: Ref Zhur - Biol., No 20, 1958, No. 90827

Author

: Kachomasova, D. P.

Inst

: Kazan Veterinary Institute

Titlo

: Characteristics of Conditionally Pathogenic Microflora Isolated from Carcasses of Forcibly Sacrificed Animals

Orig Pub

: Uch. zap. Kazansk. vet in-ta, 1957, 65, 225-237

Abstract

: No abstract given

Card 1/1

Clossalgia. Fel'd. i akush. 24 no.7:12-13 Jl '59.
(TONGUE--DISEASES)

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

KARNITSKIY, V.I., assistent; KACHENOVSKIY, A.N., ordinator; SHORIN, V.D., assistent

Comparison of methods for preparing hard dental tissue. Stomatologiia (MIRA 14:11)

1. Iz kafedry terapevticheskoy stomatologii (zav. - prof. Ye.Ye. Platonov) i kafedry ortopedicheskoy stomatologii (zav. - prof. V.Yu.Kurlyandskiy) Moskovskogo meditsinskogo stomatologicheskogo instituta (dir. - dotsent G.N.Beletskiy).

(DENTAL INSTRUMENTS AND APPARATUS)

(Mathematics -- Study and teaching) (Visual education)

Self-made visual aids for teaching mathematics. Mat. v shkole no.6:1-14 N-D '54. (NIRA 7:11)

## KACHENOVSKIY, M.I. (Moscow)

Occupation of teachers of mathematics with the making and designing of visual aids. Mat.v shkole no.3:24-36 My-Je '55... (MIRA 8:7)

(Mathematics--Audio-visual aids)

How to make durable visual aids out of paper and cardboard.

Politekh. obuch. no.5:82-84 My 158. (MIRA 11:5)

(Visual aids)

LISSOV, Ye.F.; KACHENOVSKIY, O.A., inzh.

Belt conveyor dryer for bottle drying. Masl.-zhir. prom. 29 no.10:38 0 '63. (MIRA 16:12)

1. Sverdlovskiy zhirovoy kombinat.

### KACHENOVSKIY, 5. P.

"Aromatic Hydrocarbons as Components of Aviation Fuels," (Aromaticheskiye Uglevodorody v Kachestve Komponentov Aviatsionnogo Goruchevo), by A. S. Velikovskiy, S. P. Kachenovskiy, and H. B. Velf.

From: Aromatic Hydrocarbons of Petroleum Origin (Aromaticheskiye Uglevodorody Neftyanogo Proiskhozhdeniya), Symposium, Vol. IV, pp. 5 through li. Published by the State Scientific and Technical Publishing Office for Petroleum and Mineral Fuel Literature (Gostoptekhizdat), Moscow-Leningrad 1947



### "APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5

RACHENSKIY, A.

Category : USSR/General Froblems . Froblems of Tocching

A-3

Abs Jour : Ref Zhur - Fizike, No 5, 1957, No 5522

Author : Kachenskiy, A.

Titlo : Concerning the Teaching of Flysics in Schools

Orig Pub : U dapamogy nastaunily, 1956, No 4, 48.58

Abstract : No abstract

Card : 1/1

KACHER, Kh.

Bonuses for engineering and technical workers and employees, and shortcomings in the planning of wage funds. Sots. trud. 7 no.5:66-68 My '62. (MTRA 15:5)

1. Nachal'nik otdela truda i zarabotnoy platy Khar'kovskogo elektromekhanicheskogo zavoda. (Kharkov---Wages---Electric equipment industry) (Bonus system)

### KACHER, Kh.

Increase work in establishing technical standards in an enterprise. Sots.trud 8 no.4:24-28 Ap '63. (MIRA 16:4)

1. Nachal'nik otdela truda i zarabotnoy platy Khar'kovskogo elektromekhanicheskogo zavoda.

(Kharkov—Electric equipment industry—Production standards)

Enter Land

GENKIN, B.S.; GUNILEVSKIY, N.S.; DUBINKIN, N.P.; KACHER, Kh.A.; MEDINSKIY, L.B.; FISH, A.Ya.; KHMIROV, G.I.; BOROKH, V.I., FURKLUY.

[Technical norms and wages in the electrical industry] Tekhnicheskoe normirovanie i sarabotnaia plata v elektropromyshlennosti. Noskva, Gos. energ. izd-vo. 1953. 247 p. (MIRA 7:1)

(Electric industries) (Industrial management)

RUTMAN, Sh.P. [deceased]; VINOFUROVA, Ye.A. [deceased]; KACHER, K.V.; SAMOVALOVA, B.A.

Results of laboratory testing of Urgal coals for the ability to undergo treatment in heavy liquids. Trudy DVFAN SSSR. Ser. khim. no.6:102-105 62. (MIRA 17:8)

APPROVED FOR RELEASE: 07/19/2001 CIA-RDP86-00513R000519820001-5"

KACHER, V.A.; TINCHUK, A.I.; CHELONBIT'KO, V.A.

A hard alloy for the rough boring of bushings. Avt. trakt. prom. no.12:6a-b D 153. (NURA 6:12) (Tungsten alloys)

KACHER, V.A., inshener; CHELOEBIT'KO, V.A., inshener.

Use of mineral-ceramic bushings in the mammfacture of wire rope. Vest.

mash. 33 no.11:91-92 W 53. (MEA 6:12)

(Wire rope)